




Baby's Health File



Vaccinate





Staff No.: 2539 R.

Name : Fathan A ydeen

DOB : 18/6/10

Blood Group:



AGE	VACCINE (dose)	GIVEN ON	SIGNATURE
Birth	BCG Hep B Vac	20/6/10 18/6/10	Hospita
2 Months (1 st Dose)	DPT + Hib OPV Hep B Vac Pneumococcal	25/8/10	Nadira
4 Months (2 nd Dose)	DPT + Hib OPV Hep B Vac Pneumococcal	24/11/10	JAT
6 Months (3 rd Dose)	DPT + Hib OPV Hep B Vac Pneumococcal	15/04/15 12/20/11	Simi
12 Months	MMR 1 - AMJRC102AA Chickenpox (Varicella) - A70CB658A Hep A - AHAV13A8ABE	3/1/10/11	Simi
18 Months (1 st Dose)	DPT + Hib OPV Pneumococcal Hep B Hep A	17/6/12 17/6/12	Simi Cesar
4-6 Years (1 st Booster)	DT OPV MMR 2		
11-12 Years	Tetanus OPV		

TETPA - H2132-1 8/2/12
 R1EUMOCOCCAL - F14410 Cesar.

Before the immunization tell your doctor if your child:

- Has ever had fits or convulsions
- Had a bad reaction to the last dose
- Is unwell in anyway

Current Immunization Schedule in State of Qatar 2005




"Common adverse effect"

- Pain
- Redness and swelling at injection site
- Fever

"Treatment"

- Give paracetamol every 6 to 8 hours as needed
- Put warm compress on injection site
- If worried about child call doctor



Breast Feeding:

- Breast milk contains a balance of nutrients
- Breast milk is easy for baby to digest
- Breast milk contains antibodies that protect your baby
- Breast milk actually changes to keep up with baby.
- Breast - feeding creates mother child bonding.

Weaning is the introduction of solid food... How to Start ?

The best way to decide how and what food to give is to follow baby's development.

- Stage 1 - First taste - smooth foods around 6 - 7 months
- Stage 2 - Learn to chew - soft lumps 8 - 9 months
- Stage 3 - Self feeding - finger food, lumps 9 - 12 months
- Stage 4 - Family diet with modifications after 12 months.

- ✗ Avoid giving raw vegetables, raisins, hotdogs or meat chunks, nuts or hard candies before 2 years.
- ✗ No cow's milk for the 1st year.



قطر الغاز
QATAR GAS



AL KHOR COMMUNITY
MEDICAL CENTRE

مجمع الخور
المركز الطبي



Baby's Health File



Vaccinate





It's your
baby's
best shot!

Staff No: R2539

Name : Fathan

DOB :

Blood Group:





"Common adverse effect"

- Pain ● Redness and Swelling at injection site
- Fever

"Treatment"


- Give paracetamol every 6 to 8 hours as needed
- Put warm compress on injection site
- If worried about child call doctor

AGE	VACCINE (dose)	GIVEN ON	SIGNATURE
Birth	BCG Hep B Vac		
2 Months (1 st Dose)	DPT + HIB OPV Hep B Vac Pneumococcal		
4 Months (2 nd Dose)	DPT + HIB OPV Hep B Vac Pneumococcal		
6 Months (3 rd Dose)	DPT + HIB OPV Hep B Vac Pneumococcal		
12 Months	MIMR 1 Chickenpox (Varicella)		
18 Months (1 st Dose)	DT + HIB OPV Pneumococcal		
4-6 Years (1 st Booster)	DTcp - AC14 B219AD } OPV - L5153 } #### } Yam cell 2 - Advice 625A } S. Osman	08/11/15	
11-12 Years	Tetanus OPV		

Before the immunization tell your doctor if your child:

- Has ever had fits or convulsions
- Had a bad reaction to the last dose
- Is unwell in anyway

Current Immunization Schedule in State of Qatar 2005




Breast Feeding:

- Breast milk contains a balance of nutrients
- Breast milk is easy for baby to digest
- Breast milk contains antibodies that protect your baby
- Breast milk actually changes to keep up with baby.
- Breast - feeding creates mother child bonding.

Weaning is the introduction of solid food...How to Start ?

The best way to decide how and what food to give is to follow baby's development.

- Stage 1 - First taste - smooth foods around 6 - 7 months
 - Stage 2 - Learn to chew - soft lumps 8 - 9 months
 - Stage 3 - Self feeding - finger food, lumps 9 - 12 months
 - Stage 4 - Family diet with modifications after 12 months.
- ✗ Avoid giving raw vegetables, raisins, hotdogs or meat chunks, nuts or hard candies before 2 years.
- ✗ No cow's milk for the 1st year.



H.C. Name : : اسم المركز الصحي

بطاقة تحصين الطفل

IMMUNIZATION CARD

Al Khor Hospital

مستشفى الخور

Admitting Department:

قسم القبول

Name : : الإسم

Birth Reg. No. : : رقم سجل

Health Care : : الرقم الم

Date of Birth : : تاريخ الميا

Sex : : الجنس

Nationality : : الجنسية

Address : : العنوان

Phone No. : : هاتف رقم

Blood Group : : فصيلة الدم

الرجاء المحافظة على هذه البطاقة واحضارها كلما ذهبت بالطفل إلى الطبيب
Please keep this card clean and bring it every time the child comes to the Doctor
Tel. : 4473131 - 4473112 Fax : 4320928
E-mail: shah@nha.org.qa
E-mail:EPinfo@nha.org.qa

سجل النمو Growth Record

ملاحظات Remarks	نسبة هيموجلوبين Hb %	محيط الراس H.C	الطول Hgt.	الوزن Wt.	العمر Age	التاريخ Date

جدول التطعيمات الحالي في دولة قطر لعام ٢٠٠٥

عند الولادة	الدرن + الكبدى الفيروسي (ب)
شهرين	الشلل الألى + الخماسى (الكبدى الألى + الثلاثى الألى + الأنتولوزا الألى) + السحايا الألى
أربعة أشهر	الشلل الثانىة + الخماسى الثانىة + السحايا الثانىة
ستة أشهر	الشلل الثالثة + الخماسى الثالثة + السحايا الثالثة
١٢ شهراً	الحصبة والحصبة الألمانية والتكاف الألى + الجديري المائى
١٨ شهراً	الشلل المنشطة الألى + الرباعى المنشطة الألى + الكورة الرئوية
٤ - ٦ سنوات	الشلل المنشطة الثانىة + الرباعى المنشطة الثانىة + الحصبة والحصبة الألمانية والتكاف الثانىة
١٣ - ١٦ سنة	التيتانوس والدفترىا المنشطة الثالثة (للبالغين)
١١ - ١٣ سنة	الأطفال من سن الأول الإعدادى (الصف السابع) يراجع رتبة الحصبة الألمانية. يعطى
تطعيم الحصبة والحصبة الألمانية والتكاف للبنات اللواتى ليس لديهن وثيقة تطعيم ضد الحصبة الألمانية.	

ملاحظة : التطعيم الخماسى يحتوى (الكبدى الفيروسي الوبائى - الدفترىا - السعال الديكى + التيتانوس + هيموفلس إنفلونزا).

الجرعات المشطة
Booster Doses

التحصينات
IMMUNIZATION

ملاحظات Remarks	التاريخ والتوقيع Date & Sign.		التحصين ضد Imm. Against
	ثانية 2 nd	جرعة أولى 1 st	
			الثلاثي DPT
			شلل الأطفال Polio. Drops OPV
			الثنائي D. T.
			الحصبة والحصبة الألمانية والنكاف MMR
			تيتانوس Tetanus

ملاحظات Remarks	التاريخ والتوقيع Date & Sign.			التحصين ضد Imm. Against
	ثالثة 3 rd	ثانية 2 nd	جرعة أولى 1 st	
			20 June 2010 #fmr-andy, m	الدرن BCG
			18 June 2010 R-Wee-mu-ah	بد الفيروسى (ب) HBV
				(الخماسي): HBV باب كبدي (ب) فتيريا DPT [عال الديكي تتانوس انفلونزا - ب H.Influenzae
				شلل الأطفال Polio. Drops O
				لكورات الرئوية Pneumo - coc
				حصبة / النكاف لحصبة الألمانية M.M.R. 1
				الجديري المائي Varicella
				حصبة / النكاف لحصبة الألمانية M.M.R. 2

NEWBORN SCREENING

الحساسية ل:
Allergies
DATE 20 JUNE 2010
AT 0425H
ayalweh

05725 090397 0

Screeningzentrum Heidelberg
Im Neuenheimer Feld 150
69120 Heidelberg
06221/56-8278

QDOHANH

(الفحوص)
Investigations

NORMAL DELIVERY on 15 June 2010
BOY, 2565g, A/S - 9/10

تبار التيوبركلين
Tuberculin Te