


Birth to 36 months : Boys Length-for-age and Weight-for-age Percentiles



Published May 30, 2000 (modified 4/20/01).
SOURCE: Developed by the National Center for Health Statistics in collaboration with the National Center for Chronic Disease Prevention and Health Promotion (2000).
<http://www.cdc.gov/growthcharts>

The World's Premier LNG Company
www.qatarqas.com.qa



Qatar Gas Operating Company Ltd.
Doha Medical Center

Immunization Guide and Record

Child Name : Ayesha
 Staff No. : 21479
 Date of Birth : 10/10/19
 Blood Type : _____



Your Child's Immunization Schedule

- A. Hexa: DTaP (Diphtheria, Pertussis, Tetanus) +Hib (Haemophilus influenzae type B) + HBV (Hepatitis B) + IPV (Injectable Polio)
- B. Penta: DTaP (Diphtheria, Pertussis, Tetanus) + Hib (Haemophilus influenzae type B) + HBV (Hepatitis B)
- C. Tetra (DTaP+Hib)
- D. Tripaceel
- E. Tetanus, Diphtheria
- F. Influenza, Meningococcal Meningitis, Hajj, Umra, Endemic countries (Special cases).

Are the vaccines recommended for routine administration to children

Following immunization inform the doctor/nurse if your child is suffering from:

- Epileptic fits, seizures or convulsions
- Any untoward reaction from the previous vaccinations
- Severe cough/colds with fever and not feeling well in anyway

Common Immunization Reactions
Fever, local swelling, redness and pain at the injection site

Home Care Advice for Immunization Reactions
Local Reaction at Injection Site:
Cold Pack : 20 minutes each hour as needed
Fever: Give Acetaminophen or Ibuprofen as needed.
Localized Itches: Apply 1% hydrocortisone cream OTC once or twice.

| Next Vaccination | |
|------------------|---------|
| Date | Vaccine |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

For more information Please call us at:
4408-2444
Email : alahlireception@qatarqas.com.qa

| Vaccine | Age | Age | | | | | | | | | | | | | | | | | | |
|--------------------------|-----|-------|----------|----------|----------|-----------|-----------|-----------|-----------|-------------|--|--|--|--|--|--|--|--|--|--|
| | | Birth | 2 Months | 4 Months | 6 Months | 12 Months | 15 Months | 18 Months | 4-6 Years | 11-12 Years | | | | | | | | | | |
| BCG | | | | | | | | | | | | | | | | | | | | |
| Hepatitis B | | | | | | | | | | | | | | | | | | | | |
| Hexa (DTaP+ Hib+HBV+IPV) | | | | | | | | | | | | | | | | | | | | |
| Penta (DTaP+ Hib+HBV) | | | | | | | | | | | | | | | | | | | | |
| Rotavirus | | | | | | | | | | | | | | | | | | | | |
| Poliovirus | | | | | | | | | | | | | | | | | | | | |
| Meningococcal ACW135 | | | | | | | | | | | | | | | | | | | | |

C
22/12/18

22/12/18

D Tripaceel E Td