Birth to 36 months : Boys
Length-for-age and Weight-for-age percentiles



Mother's Stature _____ Father's Stature _____			Gestational Age: _____ Weeks		Comment
Date	Age Birth	Weight	Length	Head Circ.	

Published May 30, 2000 (modified 4/20/01).
SOURCE: Developed by the National Center for Health Statistics in collaboration with the National Center for Chronic Disease Prevention and Health Promotion (2000)
http://www.cdc.gov/growthcharts

The World's Premier LNG Company
www.qatargas.com.qa

مطرغاز
QATARGAS

Qatargas Operating Company Ltd.
Doha Medical Center

Immunization Guide and Record

Child Name : Muhammad Tamim Zahir

Staff No. : 20830

Date of Birth : 11/06/2019

Blood Type :

QID : 31935606123

HC : ~~HC07660234~~

HC07660234



Vaccine \ Age	Birth	2 Months	4 Months	6 Months	12 Months	15 Months	18 Months			4-6 Years	11-12 Years
BCG	13/06/19										
Hepatits B	13/06/19										
A Hexa (DTaP+ Hib+HBV+IPV)		21/08/19		04/12/19							
B Penta (DTaP+ Hib+HBV)			09/10/19			C Tetra 12/01/21				D Tripacel	E Td
Rotavirus											
Oral Polio Vaccine	13/06/19	21/08/19	09/10/19	04/12/19			12/01/21				
Pneumococcal Vaccine											
Measles, Mumps, Rubella			MR	MR 29/04/20			MR 12/01/21			MMR 28/12/23 W039816	
Varicella					W032209, 28/12/23						
Hepatitis A					9HAV0C10016 28/12/23						
F Influenza											
F Meningococcal ACYW135											

Your Child's Immunization Schedule

A. Hexa: DTap (Diphtheria, Pertusis, Tetanus) +Hib (Haemophilus influenza type B) + HBV (Hepatitis B) + IPV (Injectable Polio)

B. Penta: DTaP (Diphtheria, Pertusis, Tetanus) + Hib (Haemophilus influenza type B) + HBV (Hepatitis B)

C. Tetra (DTaP+Hib)

D. Tripacel

E. Tetanus, Diphtheria

F. Influenza, Meningococcal Meningitis, Haj, Umra, Endemic countries (Special cases).

Are the vaccines recommended for routine administration to children

Following immunization inform the doctor/nurse if your Child is suffering from:

- Epileptic fits, seizures or convulsions
- Any untoward reaction from the previous vaccinations
- Severe cough/colds with fever and not feeling well in anyway

Common Immunization Reactions

Fever, local swelling, redness and pain at the injection site

Home Care Advice for Immunization Reactions

Local Reaction at injection Site:
Cold Pack : 20 minutes each hour as needed
Fever: Give Acetaminophen or Ibuprofen as needed.
Localized Hives: Apply 1 % hydocortisone cream OTC once or twice.

Next Vaccination	
Date	Vaccine

For more information Please call us at:
4408-2444
Email : alahlireception@qatargas.com.qa