

VACCINATION CARD







0886

NAME Blo Moryam Inlian

MR# 92-23-78

FATHER'S NAME Imlian

DATE OF BIRTH 27-1-2020

WT 2.3 kg. HT 46 cm FO

CONSULTANT A Talal

03322732020 P.1192 F.B.A



POINTS IN MAINTENANCE OF CHILD'S HEALTH

- Within the first week of birth physical checkup of child and BCG vaccination should be given.
- · Mothers milk is best for babies and to be given as much as possible.
- At sixth month, start feeding solid foods so that child is eating all family food by 18 months.
- Child should be feed even during disease.
- Doctors be consulted about vaccination during 1st week, 1 1/2 months, 2 1/2 months, 3 1/2 months and 9 months. (EPI schedule). For non EPI vaccination consult your doctor.
- . During sickness, child be treated and once health is gained, vaccination be given.
- Oral Rehydration Salt is best to manage diarrhoea & dehydration. Use ORS frequently in diarrhea.
- Weight chart of the babies be maintained, the baby gains about 200gm/week (800gm/month) for the first 3 months after birth, than 150gm/week (600gm/month) for the next 3 months, than 100gm/week (400gm/month) for another 3 months, and than 50-75gm/week (200-300gm/month) for the final 3 months of the 1st year.
- · Develop your babies habit for exercises during bath and instances.
- · Loose fitting clothings be made so as to allow ample space for movements.
- · Ensure a sound and undisturbed sleep for baby, wake her only when she is to be fee
- · Keep your baby neat and clean, sick adults and children should not hug the baby.

For Appointment, Please Call at +92 21 3498 6956-7



ST-18, Block-4, Gulshan-e-lqbal, Karachi-75300, Pakistan
Tel: +92 21 111-174-174, +92 21 3481 6915-6, +92 21 3496 8660-1
Cell: +92 300 824 6001, +92 302 826 8655 I Fax: +92 21 3498 5899
Email: info@patel-hospital.org.pk, marketing@patel-hospital.org.pk
www.patel-hospital.org.pk
patel.hospital
patel_hospital



MMR 1 dosca Chricken pox 2 doses.

VACCINE	DUE DATE	DATE GIVEN	WEIGHT (KG)	HEIGHT (CM)	FOC	SIGN
BCG+POLIO (at birth)	V	281120	2.3xg	46 cm	320	(John)
PENTA 6wk. DPT HIB 10wk HEPB	3 21 20	3/3/	23543 29	3349		
+ POLIO 14wk						
Booster I 18mth				X	4	9
Booster II 5yrs		·				
d (6wk)		/ \	20			
10wk		30/0	0			
Land 10wk	30/5/	10/0	P -			
Booster 18 mths						-
6wk		No v	70			
MEASLES 9 mths	240	21/10	10		4	Jahr
CHICKEN PDX 12 mths		. /				L
2nd Dose		3	100			
MMR MI	1 state	4 d	2			
HEPATTTIS A . 12 mths 1st						
18 mths 2nd						
TYPHOID 2yrs						
MENENGOCOCCAL FLU & OTHERS						