

A 6033 Bhoga

# వ్యాధి నిరోధక టీకాలు వివరాలు

ఇవ్వవలసిన తేదీ 


ఇచ్చిన తేదీ 


పుట్టినప్పుడు	పుట్టినప్పుడు	పుట్టినప్పుడు	పుట్టినప్పుడు
బి.సి.జి.	బి.పి.వి. 0 డోస్	హెపటైటిస్-బి (Birth dose)	<b>పుట్టినప్పుడు</b> ఆసుపత్రిలో ప్రవేశం జరిగిన 24 గంటల లోపు
12/6/12	17/6/12	17/6/17	

6 వారాలు	10 వారాలు	14 వారాలు	9 నెలలు
బి.పి.వి-1 2/9/17	బి.పి.వి-2 7/10/17	బి.పి.వి-3	మీజిల్స్-1 / యం.ఆర్.1
రోటావైరస్-1 2/9/17	రోటావైరస్-2 7/10/12	రోటావైరస్-3 13/11/17	జె.జి - 1
పెంటా-1 (DPT+Hep-B+Hib) 2/9/12	పెంటా-2 (DPT+Hep-B+Hib) 7/10/12	పెంటా-3 (DPT+Hep-B+Hib) 04/11/17	విటమిన్-ఎ
ఐ.పి.వి. - 1		ఐ.పి.వి. - 2	

**16 - 24 నెలలు**

డి.పి.టి. 1 బూస్టర్	బి.పి.వి. బూస్టర్	మీజిల్స్-2 / యం.ఆర్.2	జె.జి - 2	విటమిన్-ఎ 2
5-6 Years	10 Years	16 Years		
డి.పి.టి. 2 బూస్టర్	టి.టి. 1 బూస్టర్	టి.టి. 2 బూస్టర్		

**24 - 60 నెలలు (విటమిన్-ఎ)**

విటమిన్-ఎ 3	విటమిన్-ఎ 4	విటమిన్-ఎ 5	విటమిన్-ఎ 6	విటమిన్-ఎ 7	విటమిన్-ఎ 8	విటమిన్-ఎ 9
-------------	-------------	-------------	-------------	-------------	-------------	-------------




AL KHOR COMMUNITY  
MEDICAL CENTRE



مجمع الخور  
المركز الطبي



# Baby's Health File



## Vaccinate



Staff No.: Bhargavium z

Name : B boss

DOB :

Blood Group:



Age	Vaccine (Dose)	IPV (Dose)	DTaP (Dose)
Birth	BCG Hep B Vac		
2 Months	DPI + Hib OPV Hep B Vac Pneumococcal		
4 Months	DPI + Hib OPV Hep B Vac Pneumococcal		
6 Months	DPI + Hib OPV Hep B Vac Pneumococcal		
12 Months	MMR 1 Chickenpox (Varicella) Hep A Hep B Vac Pneumococcal	Am JED36 202 Procc D07219 slat Deltoid 3/7/18 Kosons	01/10/18 Kosons
18 Months	DT + Hib OPV Pneumococcal		
4-6 Years	DT OPV MMR 2		
11-12 Years	Tetanus OPV		



"Common adverse effect"

- Pain
- Redness and Swelling at injection site
- Fever

"Treatment"

- Give paracetamol every 6 to 8 hours as needed
- Put warm compress on injection site
- If worried about child call doctor


12 months OPV - 6/2/19  
MMR 2

4/1/18 - } PCV2  
                  } OPV3  
                  } PCV B  
                  } Pentas (after vaccine for Tetra) } 3/10/18

Before the immunization tell your doctor if your child:

- Has ever had fits or convulsions
  - Had a bad reaction to the last dose
  - Is allergic to anything
- Flu vaccine - Lt Deltoid  
13/11/18  
M.

Current Immunization Schedule in State of Qatar 2005



**Breast Feeding:**

- Breast milk contains a balance of nutrients
- Breast milk is easy for baby to digest
- Breast milk contains antibodies that protect your baby
- Breast milk actually changes to keep up with baby
- Breast feeding creates mother-child bonding

**Weaning is the introduction of solid food... How to Start?**

The best way to decide how and when to start is to give it to follow baby's development

- Stage 1 - First taste smooth foods around 6 months
- Stage 2 - Learn to chew soft lumps 8 months
- Stage 3 - Self feeding - finger food - 10 months
- Stage 4 - Family diet with modifications after 12 months

- ✗ Avoid giving raw vegetables, raisins, fruit, cereals, or nuts or hard candies before 1 year
- ✗ No cow's milk (or the 1st year)